





BJERRING



Product Overview

WHEELS • CASTORS • STAGE TECHNOLOGY

Content

Wheel size (Ø)	33 - 250 mm	33 - 200 mm	75 - 250 mm	75 - 125 mm
				
Wheel series	VU	PU	GPT	KP
Wheel coating	Vulkollan	polyurethane	polyurethane	polyurethane
Wheel rim	full aluminium core	full aluminium core	cast aluminium core	polyamide
Wheel colour	beige/caramel	black, yellow	black, yellow	transparent, black
Wheel coating hardness	92°	92°	92°	80°
Wheel profile	convex or flat	convex or flat	convex or flat	convex
Wheel bearing	ball bearing	ball bearing	ball bearing	ball bearing
Safe working load	40 - 1400 kg	40 - 1000 kg	75 - 1400 kg	60 - 200 kg
Maximum load capacity	★★★★★	★★★★★	★★★★★	★★★★☆
Ground protection	★★★★☆	★★★★☆	★★★★☆	★★★★☆
Rolling resistance	★★★★★	★★★★★	★★★★★	★★★★★
Quietness	★★★★☆	★★★★☆	★★★★☆	★★★★☆
Temperature range (in °C)	-40 to +80	-20 to +80	-30 to +80	-20 to +80
Rolling comfort	★★★★☆	★★★★☆	★★★★☆	★★★★☆
Shock absorbing	★★★★☆	★★★★☆	★★★★☆	★★★★☆
Price range	★★★★☆	★★★★☆	★★★★★	★★★★★
Recovery capacity	★★★★★	★★★★☆	★★★★☆	★★★★☆
Non-marking	★★★★★	★★★★★	★★★★★	★★★★★
Chemical resistance	★★★★★	★★★★★	★★★★★	★★★★★
Specifics	drive quality Bayer quality			corrosion-free rim
Suitable floors:				
Hard smooth surface	✓	✓	✓	✓
Hard textured surface				✓
Road boxes / flight cases	✓	✓	✓	
Ground cloth	✓	✓	✓	✓
Carpet	✓	✓	✓	
Dance floor				✓
Wooden floor	✓	✓	✓	✓
Gravel				
Concrete	✓	✓	✓	✓
Page	4 + 5	6 + 7	8 + 9	10 - 13

50 - 200 mm	100 - 200 mm	33 - 200 mm	80 - 250 mm	50 - 200 mm	25 - 250 mm
GPK	GPW	PUW	AG	KU + KWS	NY + SNY
polyurethane	polyurethane	polyurethane	elastic rubber	soft rubber	polyamide
polyamide	cast aluminium core	full aluminium core	polyamide	polyamide	polyamide
grey	green, blue, red	blue	blue, black	grey, black	black, white
80°	75°	75°	85°	85° + 30°	100°
flat	flat	convex or flat	flat	flat	convex or flat
ball bearing	ball bearing	ball bearing	roller bearing	ball bearing	plain bearing, roller bearing and ball bearing
40 - 800 kg	270 - 1300 kg	50 - 1600 kg	100 - 800 kg	20 - 120 kg	10 - 1000 kg
★★★★☆	★★★★☆	★★★★☆	★★★★☆	★★★★☆	★★★★★
★★★★☆	★★★★☆	★★★★☆	★★★★☆	★★★★☆	★★★★☆
★★★★★	★★★★☆	★★★★☆	★★★★☆	★★★★☆	★★★★★
★★★★☆	★★★★☆	★★★★☆	★★★★☆	★★★★★	★★★★☆
-20 to +80	-30 to +70	-20 to +80	-20 to +80	-20 to +80	-25 to +80
★★★★☆	★★★★☆	★★★★☆	★★★★☆	★★★★★	★★★★☆
★★★★☆	★★★★☆	★★★★☆	★★★★☆	★★★★★	★★★★☆
★★★★★	★★★★☆	★★★★☆	★★★★★	★★★★★	★★★★★
★★★★☆	★★★★☆	★★★★☆	★★★★☆	★★★★★	★★★★★
★★★★★	★★★★★	★★★★☆	★★★★☆	★★★★☆	★★★★★
★★★★★	★★★★★	★★★★☆	★★★★☆	★★★★☆	★★★★★
corrosion-free rim		drive quality	corrosion-free rim		corrosion-free rim
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	
			✓		
✓	✓	✓		✓	✓
					✓
	✓	✓	✓	✓	
	✓	✓	✓		✓
12 + 13	14 + 15	16 - 18	19 - 21	22 + 23	24 + 25



Vulkollan® wheels with full aluminium core

mm	dyn						
		kg					
50	80						
51	80						
51	100	LMVU033KUPL	LMVU033KUPLTF	BVU033KUPL			
65	250						
67	150						
72	150	LMVU050KUPL	LMVU050KUPLTF	BMVU050KUPL			
73	50	LVU050KUPL	LVU050KUPLTF	BVU050KUPL			
82	150	LMVU050KUPLS	LMVU050KUPLSTF	BVU050KUPLS	LVU050KUPL-4Fach		
93	200	LVU065KUP1	LVU065KUP1TF	BVU065KUP1			
96	200				LVU065KUP1-4Fach		
100	200	LVU080KUP1	LVU080KUP1TF	BVU080KUP1	LVU075KUP1-4Fach		
103	200				LVU080KUP1-4Fach		
115	250	LVU080KUP3	LVU080KUP3TF	BVU080KUP3	LVU080KUP3-4/8Fach		BVU080KUP3TF
115	300						
117	250	SLVU080KUP1	SLVU080KUP1TF	SBVU080KUP1			
125	400	LVU100KUP3	LVU100KUP3TF	BVU100KUP3	LVU100KUP3-4/8RF*	SLVU080KUP3TFS*	SBVU100KUP3TF
127	350	SLVU100KUP1	SLVU100KUP1TF	SBVU100KUP1			
128	320	LVU100KUP1	LVU100KUP1TF	BVU100KUP1			
130	600	GLVU080KUP3		GBVU080KUP3			
132,5	200	GLVU065KUP1		GBVU065KUP1			
133	600	GLVU082KUP3		GBVU082KUP3			
135	600	GLVU085KUP3		GBVU085KUP3			
140	250	GLVU080KUP1	GLVU080KUP1TF	GBVU080KUP1			
145	400	GLVU100KUP3	GLVU100KUP3TF	GBVU100KUP3	GBVU100KUP3TF		
148	350	SLVU100KUP3		SBVU100KUP3	SLVU100KUP3 + 2 RF	SLVU100KUP3TFS	SBVU100KUP3TF
150	300	GLVU100KUP1	GLVU100KUP1TF	GBVU100KUP1			
155	320	LVU125KUP1	LVU125KUP1TF	BVU125KUP1			
155	500	LVU125KUP3	LVU125KUP3TF	BVU125KUP3	LVU125KUP3-4Fach		BVU125KUP3TF
166	400	LVU125KUP3A	LVU125KUP3TFA	BVU125KUP3A			
170	550				GBVU125KUP3TF		
175	400	GLVU125KUP3	GLVU125KUP3TF	GBVU125KUP3			
178	500	SLVU125KUP3	SLVU125KUP3TF	SBVU125KUP3	SLVU125KUP3 + 2 RF	SLVU125KUP3TFS	SBVU125KUP3TF
185	500	LVU150KUP3	LVU150KUP3TF	BVU150KUP3	LVU150KUP3-4Fach	(available upon request)	BVU150KUP3TF
200	850	GLVU160KUP3	GLVU160KUP3TF	GBVU160KUP3			
205	650	GLVU150KUP3	GLVU150KUP3TF	GBVU150KUP3	GBVU150KUP3TF		
210	660	SLVU150KUP3	SLVU150KUP3TF	SBVU150KUP3	SLVU150KUP3 + 2 RF	SLVU150KUP3TFS	SBVU150KUP3TF
235	700	SLVU180KUP3	SLVU180KUP3TF	SBVU180KUP3	SLVU180KUP3 + 2 RF	SLVU180KUP3TFS	SBVU180KUP3TF
245	800	SLVU200KUP3	SLVU200KUP3TF	SBVU200KUP3	SLVU200KUP3 + 2 RF	SLVU200KUP3TFS	SBVU200KUP3TF
250	700	GLVU180KUP3	GLVU180KUP3TF	GBVU180KUP3	GBVU180KUP3TF		
260	800	GLVU200KUP3	GLVU200KUP3TF	GBVU200KUP3	GBVU200KUP3TF		
298	800	SLVU250KUP3	SLVU250KUP3TF	SBVU250KUP3			
305	950	GLVU250KUP4	GLVU250KUP4FR	GBVU250KUP4			

*Load capacity 350 kg

Vulkollan® wheels with full aluminium core



LDMVU030KUPL		
LDMVU033KUPL	LDMVU033KUPLTF	BDVU033KUPL
SIDVU050KUPLS		
LDMVU040KUPL	LDMVU040KUPLTF	
LDMVU050KUPL	LDMVU050KUPLTF	BDMVU050KUPL
LDMVU050KUPLS	LDMVU050KUPLSTF	BDVU050KUPLS
LDVU080KUP3		BDVU080KUP3
LDVU100KUP3	LDVU100KUP3TF	BDVU100KUP3
LDVU100KUP1	LDVU100KUP1TF	BDVU100KUP1

Further applications of Vulkollan®:



Driving wheel with
Vulkollan® coating






Castor Munich:
non turnable brake +
directional lock



		mm	kg
T5LMVU033KUP1/76		76	450
TLMVU033KUP1/76		76	300
T5LMVU033KUP3/85		85	500
TLMVU033KUP3/85		85	300
TLMVU033KUP3S/95		95	300
TLMVU040KUP1/96	TLDMVU040KUP1/96	96	450
TLMVU040KUP3/101	TLDMVU040KUP3/101	101	450
TLMVU050KUP1/101	TLDMVU050KUP1S/101	101	450
TLMVU050KUP1S/101	TLDMVU050KUP1/101	101	450
TLMVU050KUP3/106	TLDMVU050KUP3/106	106	450
TLMVU050KUP3/108	TLDMVU050KUP3/108	108	450
TLMVU050KUP3S/108	TLDMVU050KUP3S/108	108	450
TLMVU050KUP3S/115	TLDMVU050KUP3S/115	115	450
TLMVU050KUP3SS/115	TLDMVU050KUP3SS/115	115	450
TLVU065KUP1/117		117	450
TLVU075KUP1/123		123	450
TLVU065KUP1/125		125	450
TLVU065KUP3/125		125	500
TLVU080KUP1/125		125	450
	TLDVU060KUP1/125	125	400
	TLDVU060KUP3/125	125	400
TLVU065KUP1S/128		128	450
TLVU075KUP3/130	TLDVU075KUP3/130	130	500
TLVU080KUP3/133	TLDVU080KUP3/133	133	500
TLVU080KUP3/148	TLDVU080KUP3/148	148	500
TLVU080KUP1S/155	TLDVU080KUP1/155	155	450
TLVU080KUP3S/155		155	600
	TLDVU080KUP3/155	155	750
TLVU100KUP3L/160	TLDVU100KUP3L/160	160	600
TLVU100KUP3R/160		160	600
TLVU100KUP3/164	TLDVU100KUP3/164	164	600
TLVU100KUP3/166	TLDVU100KUP3/166	166	1000
TLVU100KUP3S/178	TLDVU100KUP3S/178	178	1000
TSLVU100KUP3S/185	TLDVU100KUP3SS/185	185	1000
TLVU125KUP3/196	TLDVU125KUP3/196	196	750
TLVU125KUP3S/210	TLDVU125KUP3S/210	210	750
TSLVU125KUP3SS/221	T8LDVU125KUP3SS/220	221	1000
TLVU150KUP3S/230		230	1000
TLVU150KUP3/235		235	600
TLVU150KUP3SS/245		245	1000
TSLVU150KUPS/254		254	2000
TSLVU180KUPS/298		298	2000
TSLVU200KUPS/305		305	2000



Polyurethane wheels with full aluminium core

							
mm	kg						
51	100	LMPUSS033KUPL	LMPUSS033KUPLTF	BMPUSS033KUPL			
72	150	LMPUSS050KUPL	LMPUSS050KUPLTF	BMPUSS050KUPL			
73	50	LPUSS050KUPL	LPUSS050KUPLTF	BPUSS050KUPL			
82	150	LMPUSS050KUPL8	LMPUSS050KUPL8TF	BPUSS050KUPL8	LPUSS050KUPL-4RF		
93	200	LPUSS065KUP1	LPUSS065KUP1TF	BPUSS065KUP1			
96	200				LPUSS065KUP1-4Fach		
100	200	LPUSS080KUP1	LPUSS080KUP1TF	BPUSS080KUP1	LPUSS075KUP1-4Fach		
103	200				LPUSS080KUP1-4Fach		
115	250	LPUSS080KUP3	LPUSS080KUP3TF	BPUSS080KUP3	LPUSS080KUP3-4/8RF		BPUSS080KUP3TF
120	250	SLPUSS080KUP1	SLPUSS080KUP1TF	SBPUSS080KUP1			
125	350					SLPUSS075KUP3TF8	
125	400	LPUSS100KUP3	LPUSS100KUP3TF	BPUSS100KUP3	LPUSS100KUP3-4/8RF*		BPUSS100KUP3TF
128	320	LPUSS100KUP1	LPUSS100KUP1TF	BPUSS100KUP1			
130	350	SLPUSS100KUP1	SLPUSS100KUP1TF	SBPUSS100KUP1			
132,5	200	GLPUSS065KUP1		GBPUSS065KUP1			
140	300	GLPUSS080KUP1		GBPUSS080KUP1			
148	350	SLPUSS100KUP3		SBPUSS100KUP3	SLPUSS100KUP3+2RF	SLPUSS100KUP3TF8	SBPUSS100KUP3TF
148	500						
150	350	GLPUSS100KUP1	GLPUSS100KUP1TF	GBPUSS100KUP1			
155	500	LPUSS125KUP3	LPUSS125KUP3TF	BPUSS125KUP3	LPUSS125KUP3-4Fach		BPUSS125KUP3TF
160	400	GLPUSS125KUP1	GLPUSS125KUP1TF	GBPUSS125KUP1			
165	500	LPUSS125KUP3A	LPUSS125KUP3TFA	BPUSS125KUP3A			
178	500	SLPUSS125KUP3	SLPUSS125KUP3TF	SBPUSS125KUP3	SLPUSS125KUP3+2RF	SLPUSS125KUP3TF8	SBPUSS125KUP3TF
184	600						
185	500	LPUSS150KUP3	LPUSS150KUP3TF	BPUSS150KUP3	LPUSS150KUP3-4Fach (available upon request)		BPUSS150KUP3TF
197	750						
210	660	SLPUSS150KUP3	SLPUSS150KUP3TF	SBPUSS150KUP3	SLPUSS150KUP3+2RF	SLPUSS150KUP3TF8	SBPUSS150KUP3TF

*Load capacity 350 kg

Polyurethane wheels with full aluminium core



LDMPUS033KUPL LDMPUS033KUP1TF BDPUS033KUPL

LDMPUSS050KUPL LDMPUSS050KUP1TFBDMPUSS050KUPL

LDMPUSS050KUPLS LDMPUS8050KUP1L8TF BDPUSS050KUPLS

LDPUS100KUP3 LDPUS100KUP3TF BDPUS100KUP3

LDPUS100KUP1 BDPUS100KUP1

SLDPUS100KUP3 SBOPUS100KUP3

LDPUS100KUP4A BDPUS100KUP4A

LDPUSS125KUP4A LDPUSS125KUP4TFA BDPUSS125KUP4A



Castor "Munich" - Stage swivel castor with non-turnable brake AND 4 directional lock, dyn. load capacity 350 kg

Code: SLPUSS075KUP3TFS4RF



TSLMPUS033KUP1/75		75	450
TLMPUS033KUP1/76	TLDMPUS033KUP1/76	76	300
TLMPUS033KUP3/85		85	300
TSLMPUS033KUP3/85		85	500
TLMPUS033KUP3S/95		95	300
TLMPUSS050KUP1S/101		101	350
TLMPUSS050KUP1/101	TLDMPUSS050KUP1/101	101	450
TLMPUSS050KUP3/106	TLDMPUSS050KUP3/106	106	450
TLMPUSS050KUP3/108	TLDMPUSS050KUP3/108	108	450
TLMPUSS050KUP3S/108		108	450
TLMPUSS050KUP3S/115	TLDMPUS8050KUP3S/115	115	450
TLMPUS8050KUP3S8/115		115	450
TLPUSS065KUP1/116		116	350
TLPUSS075KUP1/122		122	350
TLPUSS080KUP1/124		124	350
TLPUSS065KUP1/125		125	350
TLPUSS065KUP3/125		125	500
TLPUSS065KUP1S/128		128	350
TLPUSS075KUP3/130		130	500
TLPUSS080KUP3/133		133	500
TLPUSS080KUP3/148		148	500
TLPUSS080KUP1S/155		155	350
TLPUS075KUPS/155		155	750
TLPUSS080KUP3S/155		155	600
TLPUSS100KUP3R/160		160	600
TLPUSS100KUP3L/160	TLDPUS100KUP3L/160	160	600
TLPUSS100KUP3/164	TLDPUS100KUP3/164	164	600
TLPUSS100KUP3/166	TLDPUS100KUP3/166	166	1000
TLPUSS100KUP3S/178	TLDPUS100KUP3S/178	178	1000
TSLPUSS100KUP3S/185	TLDPUS100KUP3SS/185	185	1000
TLPUSS125KUP3/195		195	600
TLPUSS125KUP3S/210		210	600
TSLPUS8125KUP3S8/221		221	600
TLPUSS150KUP3S/230		230	900
TLPUSS150KUP3/235		235	900
TLPUSS150KUP3SS/245		245	900
TSLPUSS150KUPS/259		259	1500



Polyurethane wheels with cast aluminium core



98	200	LGPT075KUP1	LGPT075KUP1TF	BGPT075KUP1			
100	200	LGPT080KUP1	LGPT080KUP1TF	BGPT080KUP1	LGPT075KUP1-4Fach		
108	120	LGPT080KUP1L	LGPT080KUP1TFL	BGPT080KUP1L			
115	250						
117	250	SLGPT080KUP1	SLGPT080KUP1TF	SBGPT080KUP1			
125	350	LGPTS100KUP3	LGPTS100KUP3TF	BGPTS100KUP3	LGPTS100KUP3-48RF		BGPTS100KUP3TF
127	350	SLGPT100KUP1	SLGPT100KUP1TF	SBGPT100KUP1			
128	320	LGPT100KUP1	LGPT100KUP1TF	BGPT100KUP1			
130	600	GLGPT080KUP3		GBGPT080KUP3			
133	600	GLGPT082KUP3		GBGPT082KUP3			
135	600	GLGPT085KUP3		GBGPT085KUP3			
145	400	GLGPT100KUP3	GLGPT100KUP3TF	GBGPT100KUP3			GBGPT100KUP3TF
145	530						
148	350	SLGPT100KUP3		SBGPT100KUP3	SLGPT100KUP3 + 2 RF	SLGPT100KUP3TFS	SBGPT100KUP3TF
150	295	GLGPT100KUP1	GLGPT100KUP1TF	GBGPT100KUP1			
155	320	LGPT125KUP1	LGPT125KUP1TF	BGPT125KUP1			
155	500	LGPT125KUP3	LGPT125KUP3TF	BGPT125KUP3	LGPT125KUP3-4Fach	SLGPT100KUP3TFS	BGPT125KUP3TF
164	500	LAP125KUP3	LAP125KUP3TF	BAP125KUP3			BGPT125KUP3C
165	500	LGPT125KUP3A	LGPT125KUP3TFA	BGPT125KUP3A			BGPT125KUP3A
170	1100						
175	500	GLGPT125KUP3	GLGPT125KUP3TF	GBGPT125KUP3			GBGPT125KUP3TF
178	500	SLGPT125KUP3	SLGPT125KUP3TF	SBGPT125KUP3	SLGPT125KUP3 + 2 RF		SBGPT125KUP3TF
185	500	LGPT150KUP3	LGPT150KUP3TF	BGPT150KUP3	LGPT150KUP3-4Fach	SLGPT125KUP3TFS	BGPT150KUP3
195	600	LAP160KUP3	LAP160KUP3TF	BAP160KUP3	LGPT160KUP3-4Fach		BGPT160KUP3C
197	750						
205	650	GLGPT150KUP3	GLGPT150KUP3TF	GBGPT150KUP3			GBGPT150KUP3TF
210	660	SLGPT150KUP3	SLGPT150KUP3TF	SBGPT150KUP3	SLGPT150KUP3 + 2 RF	SLGPT150KUP3TFS	SBGPT150KUP3TF
212	1600						
235	800	SLGPT180KUP3	SLGPT180KUP3TF	SBGPT180KUP3	SLGPT180KUP3 + 2 RF	SLGPT180KUP3TFS	SBGPT180KUP3TF
238	600	LGPT175KUP3A	LGPT175KUP3TFA	BGPT175KUP3A	LGPT175KUP3-4Fach		BGPT175KUP3A
241	700	LGPT180KUP3A	LGPT180KUP3TFA	BGPT180KUP3A	LGPT180KUP3-4Fach	SLGPT150KUP3TFS	BGPT180KUP3A
245	700	LAP200KUP3	LAP200KUP3TF	BAP200KUP3	LGPT200KUP3-4Fach	SLGPT180KUP3TFS	BGPT200KUP3C
245	1000	SLGPT200KUP3	SLGPT200KUP3TF	SBGPT200KUP3	SLGPT200KUP3 + 2 RF	SLGPT200KUP3TFS	SBGPT200KUP3TF
250	900	GLGPT180KUP3	GLGPT180KUP3TF	GBGPT180KUP3			GBGPT180KUP3TF
254	1800						
260	1000	GLGPT200KUP3	GLGPT200KUP3TF	GBGPT200KUP3			GBGPT200KUP3TF
260	1800						
264	2000						
270	2000						
298	800	SLGPT250KUP3	SLGPT250KUP3TF	SBGPT250KUP3			
305	1400	GLGPT250KUP4	GLGPT250KUP4FR	GBGPT250KUP4			

Polyurethane wheels with cast aluminium core



LDGP080KUP3	LDGP080KUP3TF	BDGP080KUP3
-------------	---------------	-------------

LDGP100KUP3	LDGP100KUP3TF	BDGP100KUP3
-------------	---------------	-------------

SLDGP100KUP3	SLDGP100KUP3TF	SBDGP100KUP3
--------------	----------------	--------------

LDGP125KUP3	LDGP125KUP3TF	BDGP125KUP3
-------------	---------------	-------------

LDGP125KUP4A	LDGP125KUP4TFA	BDGP125KUP4A
--------------	----------------	--------------

LDGP150KUP4	LDGP150KUP4TF	BDGP150KUP4
-------------	---------------	-------------

LDGP180KUP4	BDGP180KUP4
-------------	-------------

LDGP180KUP4A	LDGP180KUP4TFA	BDGP180KUP4A
--------------	----------------	--------------

LDGP200KUP4	LDGP200KUP4TF	BDGP200KUP4
-------------	---------------	-------------

LDGP200KUP4A	LDGP200KUP4TFA	BDGP200KUP4A
--------------	----------------	--------------

TLDGP075KUP3/130	130	500
------------------	-----	-----

TLDGP080KUP3/133	133	500
------------------	-----	-----

TLDGP080KUP3/148	148	500
------------------	-----	-----

TLDGP080KUP1/155	155	350
------------------	-----	-----

TLDGP080KUP3/155	155	750
------------------	-----	-----

TLGPT100KUP3L/160	TLDGP100KUP3L/160	160	600
-------------------	-------------------	-----	-----

TLGPT100KUP3R/160		160	600
-------------------	--	-----	-----

TLGPT100KUP3/164	TLDGP100KUP3/164	164	600
------------------	------------------	-----	-----

TLGPT100KUP3/166	TLDGP100KUP3/166	166	1000
------------------	------------------	-----	------

TLGPT100KUP3S/178	TLDGP100KUP3S/178	178	1000
-------------------	-------------------	-----	------

TSLGPT100KUP3S/185	TLDGP100KUP3SS/185	185	1000
--------------------	--------------------	-----	------

TLGPT125KUP3/196	TLDGP125KUP3/196	196	1000
------------------	------------------	-----	------

TLGPT125KUP3S/210	TLDGP125KUP3S/210	210	1000
-------------------	-------------------	-----	------

TSLGPT125KUP3SS/221	TSLDGP125KUP3SS/220	221	1000
---------------------	---------------------	-----	------

TLGPT150KUP3S/230		230	1000
-------------------	--	-----	------

TLGPT150KUP3/235		235	600
------------------	--	-----	-----

TLGPT150KUP3SS/245		245	1000
--------------------	--	-----	------

TSLGPT150KUPS/259		259	2000
-------------------	--	-----	------

TSLGPT175KUPS/298		298	2000
-------------------	--	-----	------




TSLGPT180KUPS/298		298	2000
-------------------	--	-----	------

TSLGPT200KUPS/305		305	2000
-------------------	--	-----	------



40 - 900 kg

Inline / Skater Castors


							
mm	kg						
100	60	LKP075KUJPL	LKP075KUJPLTF	BKP075KUJPL			
100	80				LDKP075KUJPL	LDKP075KUJPLTF	
120	80	LKP100KUJPL	LKP100KUJPLTF	BKP100KUJPL			
125	200				LDKP100KUP3	LDKP100KUP3TF	BDKP100KUP3
128	200				LDKP100KUP1		
135	80	KLP100KPL1	KLP100KPL1TF	KBP100KPL1			
155	200				LDKP125KUP3	LDKP125KUP3TF	BDKP125KUP3
161	100	KLP125KPL1	KLP125KPL1TF	KBP125GPL1			



							
mm	kg						
100	60	LKP075KUJPL SC	LKP075KUJPLTF SC	BKP075KUJPL SC			
100	80				LDKP075KUJPL SC	LDKP075KUJPLTF SC	
125	200				LDKP100KUP3 SC	LDKP100KUP3TF SC	BDKP100KUP3 SC


Black polyurethane castors on polyamide core



							
mm	kg						
125	300	LVPSS100KUP3	LVPSS100KUP3TF	BVPSS100KUP3	LVPSS100KUP3-4Fach	LVPSS100KUP3TF5	BVPSS100KUP3TF
125	300				LVPSS100KUP3-8Fach		
128	300	LVPSS100KUP1	LVPSS100KUP1TF	BVPSS100KUP1			


Inline / Skater Turtles




		
	mm	kg
TLDKP075KUP1/125	125	240
TLDKP075KUP3/134	134	240
TLDKP100KUP1/156	156	450
TLDKP100KUP3R/160	160	600
TLDKP100KUP3L/160	160	600
TLDKP100KUP3/164	164	600
TLDKP100KUP3/166	166	600
TLDKP100KUP3S/178	178	600
TSLDKP100KUP3S/185	185	600
TLDKP125KUP3/196	196	600
TLDKP125KUP3S/210	210	600
TSLDKP125KUP3SS/221	221	600



		
	mm	kg
TLDKP075KUP1SC/125	125	240
TLDKP075KUP3SC/134	134	240
TLDKP100KUP1SC/156	156	450
TLDKP100KUP3SC/164	164	600
TLDKP100KUP3SC/166	166	600



		
	mm	kg
TLVPSS100KUP3L/160	160	600
TLVPSS100KUP3/164	164	600
TLVPSS100KUP3/166	166	900
TLVPSS100KUP3/178	178	900
TLVPSS100KUP3/185	185	900




Polyurethane wheels with polyamide core



mm



kg



47	40						
48	66						
52	60	LGPK035KUPL	LGPK035KUPLTF	BGPK035KUPL			
52	80						
67	140						
68	40	LGPK040KUPL	LGPK040KUPLTF	BGPK040KUPL			
69	150						
70	40	LGPK046KUPL	LGPK046KUPLTF	BGPK046KUPL			
72	100	LMGPK050KUPL	LMGPK050KUPLTF	BMGPK050KUPL			
73	40	LGPK050KUPL	LGPK050KUPLTF	BGPK050KUPL			
82	100	LMGPK050KUPL8	LMGPK050KUPL8TF	BGPK050KUPL8	LGPK050KUPL-4Fach		
100	50	LGPK075KUPL	LGPK075KUPLTF	BGPK075KUPL			
100	80						
100	150	LGPK080KUP1	LGPK080KUP1TF	BGPK080KUP1			
103	150				LGPK080KUP1-4Fach		
120	150	SLGPK080KUP1	SLGPK080KUP1TF	SBGPK080KUP1			
125	150	GLGPK080KUP1		GBGPK080KUP1			
125	200	LGPK100KUP3	LGPK100KUP3TF	BGPK100KUP3	LGPK100KUP3-4/6RF	SLGPK080KUP3TF8	BGPK100KUP3TF
128	200	LGPK100KUP1	LGPK100KUP1TF	BGPK100KUP1			
130	200	SLGPK100KUP1	SLGPK100KUP1TF	SBGPK100KUP1			
145	250	GLGPK100KUP3		GBGPK100KUP3			GBGPK100KUP3TF
148	200	SLGPK100KUP3		SBGPK100KUP3	SLGPK100KUP3 + 2 RF	SLGPK100KUP3TF8	SBGPK100KUP3TF
150	250	GLGPK100KUP1	GLGPK100KUP1TF	GBGPK100KUP1			
155	280	LGPK125KUP1	LGPK125KUP1TF	BGPK125KUP1			
155	280	LGPK125KUP3	LGPK125KUP3TF	BGPK125KUP3	LGPK125KUP3-4Fach	SLGPK100KUP3TF8	BGPK125KUP3TF
163	280	GLGPK125KUP1	GLGPK125KUP1TF	GBGPK125KUP1			
165	280	LGPK125KUP3A	LGPK125KUP3TFA	BGPK125KUP3A			
170	350	GLGPK125KUP3	GLGPK125KUP3TF	GBGPK125KUP3			GBGPK125KUP3TF
178	280	SLGPK125KUP3	SLGPK125KUP3TF	SBGPK125KUP3	SLGPK125KUP3 + 2 RF		SBGPK125KUP3TF
185	400	LGPK150KUP3	LGPK150KUP3TF	BGPK150KUP3	LGPK150KUP3-4Fach	SLGPK125KUP3TF8	BGPK150KUP3TF
195	400	LGPK160KUP3	LGPK160KUP3TF	BGPK160KUP3	LGPK160KUP3-4Fach		BGPK160KUP3TF
197	700						
205	400	GLGPK150KUP3	GLGPK150KUP3TF	GBGPK150KUP3			GBGPK150KUP3TF
210	400	SLGPK150KUP3	SLGPK150KUP3TF	SBGPK150KUP3	SLGPK150KUP3 + 2 RF	SLGPK150KUP3TF8	SBGPK150KUP3TF
215	400	SLGPK160KUP3	SLGPK160KUP3TF	SBGPK160KUP3	SLGPK160KUP3 + 2 RF		SBGPK160KUP3TF
235	500	LGPK200KUP3	LGPK200KUP3TF	BGPK200KUP3	LGPK200KUP3-4Fach		BGPK200KUP3TF
245	600	SLGPK200KUP3	SLGPK200KUP3TF	SBGPK200KUP3	SLGPK200KUP3 + 2 RF	SLGPK200KUP3TF8	SBGPK200KUP3TF
250	800						
260	600	GLGPK200KUP3	GLGPK200KUP3TF	GBGPK200KUP3			GBGPK200KUP3TF
270	1200						

Polyurethane wheels with polyamide core



LDGPK025KUPL LDGPK025KUPLTF

LDMGPK030KUPL

LDMGPK035KUPL LDMGPK035KUPLTF

LDMGPK040KUPL LDMGPK040KUPLTF

LDMGPK045KUPL LDMGPK045KUPLTF

LDMGPK050KUPL LDMGPK050KUPLTF BMDGPK050KUPL

LDMGPK050KUPLS LDMGPK050KUPLSTF BDGPK050KUPLS

LDGPK075KUPL LDGPK075KUPLTF

LDGPK125KUP4A LDGPK125KUP4TFA BDGPK125KUP4A

LDGPK160KUP4A LDGPK160KUP4TFA BDGPK160KUP4A

LDGPK200KUP4A LDGPK200KUP4TFA BDGPK200KUP4A



mm



kg

TSLDMGPK025KUP1/70 70 200

TSLDMGPK030KUP1/72 72 220

TLDMGPK025KUP1/73 73 120

TLDMGPK030KUP1/74 74 132

TLDMGPK035KUP1/76 76 240

TSLDMGPK025KUP3/78 78 200

TLDMGPK025KUP3/80 80 120

TSLDMGPK030KUP3/80 80 220

TLDMGPK030KUP3/82 82 132

TLDMGPK035KUP3/86 86 240

TLDMGPK040KUP1/96 96 300

TLDMGPK045KUP1/98 98 300

TLMGPK050KUP1/101 101 300

TLDMGPK040KUP3/101 101 300

TLDMGPK050KUP1/101 101 300

TLDMGPK045KUP3/103 103 300

TLMGPK050KUP3/108 108 300

TLDMGPK050KUP3/108 108 300

TLMGPK050KUP3S/115 115 300

TLDMGPK050KUP3S/115 115 300

TLDGPK075KUP1/121 121 240

TLGPK080KUP1/124 124 450

TLDGPK075KUP3/128 128 240

TLGPK080KUP3/133 133 450

TLGPK080KUP3/148 148 450

TLGPK080KUP1S/155 155 450

TLGPK080KUP3S/155 155 450

TLGPK100KUP3R/160 160 600

TLGPK100KUP3L/160 160 600

TLGPK100KUP3/164 164 600

TLGPK100KUP3/166 166 750

TLGPK100KUP3S/178 178 750

TSLGPK100KUP3S/185 185 750

TLGPK125KUP3/196 196 1000

TLGPK125KUP3S/210 210 1000

TSLGPK125KUP3S/221 221 1000

TLGPK150KUP3S/230 230 1000

TLGPK150KUP3/235 235 600

TLGPK150KUP3SS/245 245 1000

TSLGPK160KUP3S/245 245 1000

TSLGPK150KUP3S/259 259 1000

TSLGPK200KUP3S/305 305 1000




Soft polyurethane wheels with cast aluminium core



125	200	LGPW100KUP3	LGPW100KUP3TF	BGPW100KUP3	LGPW100KUP3-4/8RF	BGPW100KUP3TF
127	200	SLGPW100KUP1	SLGPW100KUP1TF	SBGPW100KUP1		
128	200	LGPW100KUP1	LGPW100KUP1TF	BGPW100KUP1		
145	200	GLGPW100KUP3		GBGPW100KUP3		GBGPW100KUP3TF
148	200	SLGPW100KUP3		SBGPW100KUP3	SLGPW100KUP3 + 2 RF	SLGPW100KUP3TFS SBGPW100KUP3TF
150	200	GLGPW100KUP1	GLGPW100KUP1TF	GBGPW100KUP1		
155	300	LGPW125KUP1	LGPW125KUP1TF	BGPW125KUP1	LGPW125KUP3-4Fach	
155	300	LGPW125KUP3	LGPW125KUP3TF	BGPW125KUP3	LGPW100KUP3-8Fach	SLGPW100KUP3TFS BGPW125KUP3TF
165	300	LGPW125KUP3A	LGPW125KUP3TFA	BGPW125KUP3A		
170	300	GLGPW125KUP3	GLGPW125KUP3TF	GBGPW125KUP3		GBGPW125KUP3TF
170	600					
178	300	SLGPW125KUP3	SLGPW125KUP3TF	SBGPW125KUP3	SLGPW125KUP3 + 2 RF	SBGPW125KUP3TF
185	300	LGPW150KUP3	LGPW150KUP3TF	BGPW150KUP3	LGPW150KUP3-4Fach	SLGPW125KUP3TFS BGPW150KUP3TF
197	600					
205	300	GLGPW150KUP3	GLGPW150KUP3TF	GBGPW150KUP3		GBGPW150KUP3TF
210	300	SLGPW150KUP3	SLGPW150KUP3TF	SBGPW150KUP3	SLGPW150KUP3 + 2 RF	SLGPW150KUP3TFS SBGPW150KUP3TF
212	600					
245	700	LGPW200KUP3	LGPW200KUP3TF	BGPW200KUP3	LGPW200KUP3-4Fach	SLGPW180KUP3TFS BGPW200KUP3TF
245	700	SLGPW200KUP3	SLGPW200KUP3TF	SBGPW200KUP3	SLGPW200KUP3 + 2 RF	SLGPW200KUP3TFS SBGPW200KUP3TF
254	1000					
260	700	GLGPW200KUP3	GLGPW200KUP3TF	GBGPW200KUP3		GBGPW200KUP3TF
260	1000					
264	1400					
270	1400					

Soft polyurethane wheels with cast aluminium core



mm kg

			TLGPW100KUP3R/160	160	600
			TLGPW100KUP3L/160	160	600
			TLGPW100KUP3/164	164	600
			TLGPW100KUP3/166	166	600
			TLGPW100KUP3S/178	178	600
			TSLGPW100KUP3S/185	185	600
			TLGPW125KUP3/196	196	900
			TLGPW125KUP3S/210	210	900
			TSLGPW125KUP3SS/221	221	900
			TLGPW150KUP3S/230	230	900
			TLGPW150KUP3/235	235	900
			TLGPW150KUP3SS/245	245	900
			TSLGPW150KUPS/259	259	900
			TSLGPW175KUPS/298	298	1000
			TSLGPW180KUPS/298	305	1000
			TSLGPW200KUPS/305	305	1000
LDGPW125KUP3	LDGPW125KUP3TF	BDGPW125KUP3			
LDGPW125KUP4A	LDGPW125KUP4TFA	BDGPW125KUP4A			
LDGPW150KUP4	LDGPW150KUP4TF	BDGPW150KUP4			
LDGPW180KUP4		BDGPW180KUP4			
LDGPW180KUP4A	LDGPW180KUP4TFA	BDGPW180KUP4A			
LDGPW200KUP4	LDGPW200KUP4TF	BDGPW200KUP4			
LDGPW200KUP4A	LDGPW200KUP4TFA	BDGPW200KUP4A			

Soft polyurethane wheels with full aluminium core



51	80	LMPUW033KUPL	LMPUW033KUPLTF	BPUW033KUPL			
51	100						
72	125	LMPUW050KUPL	LMPUW050KUPLTF	BMPUW050KUPL			
72	150						
82	125	LMPUW050KUPLS	LMPUW050KUPLSTF	BPUW050KUPLS	LPUW050KUPL-4Fach		
82	150						
100	200	LPUW080KUP1	LPUW080KUP1TF	BPUW080KUP1	LPUW075KUP1-4Fach		
103	200				LPUW080KUP1-4Fach		
115	250	LPUW080KUP3	LPUW080KUP3TF	BPUW080KUP3	LPUW080KUP3-4Fach		BPUW080KUP3TF
115	250				LPUW080KUP3-8Fach		
115	350						
120	250	SLPUW080KUP1	SLPUW080KUP1TF	SBPUW080KUP1			
125	250	GLPUW080KUP1		GBPUW080KUP1			
125	300	LPUW100KUP3	LPUW100KUP3TF	BPUW100KUP3	LPUW100KUP3-4/8RF	SLPUW080KUP3TF8	BPUW100KUP3TF
125	350						
127	300	SLPUW100KUP1	SLPUW100KUP1TF	SBPUW100KUP1			
128	300	LPUW100KUP1	LPUW100KUP1TF	BPUW100KUP1			
130	350						
148	300	SLPUW100KUP3		SBPUW100KUP3	SLPUW100KUP3+2RF	SLPUW100KUP3TF8	SBPUW100KUP3TF
148	500						
150	300	GLPUW100KUP1	GLPUW100KUP1TF	GBPUW100KUP1			

Soft polyurethane wheels with full aluminium core



LDMPUW033KUPL LDMPUW033KUPLTF BDPUW033KUPL

LDMPUW050KUPL LDMPUW050KUPLTF BMDPUW050KUPL

LDMPUW050KUPLS LDMPUW050KUPLS8TF BDPUW050KUPLS

LDPUW080KUP3

BDPUW080KUP3

LDPUW100KUP3 LDPUW100KUP3TF BDPUW100KUP3

LDPUW100KUP1 BDPUW100KUP1

SLDPUW100KUP1 SLDPUW100KUP1TF SBDPUW100KUP1

SLDPUW100KUP3

SBDPUW100KUP3



TLMPUW033KUP1/76

mm

kg

TLDMPUW033KUP1/76

76

240

76

300

T5LMPUW033KUP1/76

76

400

T5LDMFUW033KUP1/76

76

450

TLMPUW050KUP1/101

TLDMPUW050KUP1/101

101

350

TLMPUW050KUP3/108

TLDMPUW050KUP3/108

108

450

TLMPUW050KUP3S/115

TLDMPUW050KUP3S/115

115

450

TLPUW080KUP3/133

TLDPUW080KUP3/133

133

500

TLPUW080KUP3/148

TLDPUW080KUP3/148

148

500

TLPUW080KUP1/155

TLDPUW080KUP1/155

155

350

TLPUW080KUP3/155

TLDPUW080KUP3/155

155

750

TLPUW100KUP3L/160

TLDPUW100KUP3L/160

160

600

TLPUW100KUP3/164

TLDPUW100KUP3/164

164

900

TLPUW100KUP3/166

TLDPUW100KUP3/166

166

900

TLPUW100KUP3S/178

TLDPUW100KUP3S/178

178

900

TLPUW100KUP3SS/185

TLDPUW100KUP3SS/185

185

900




Elastic rubber wheels with polyamide core



100	100	LAGT080ROP1	LAGT080ROP1TF	BAGT080ROP1			
103	100				LAGT080ROP1-4Fach		
108	100	LAGT080ROP1L	LAGT080ROP1TFL	BAGT080ROP1L			
120	100	SLAGT080ROP1	SLAGT080ROP1TF	SBAGT080ROP1			
125	150		LAGT100ROP3TF	BAGT100ROP3	LAGT100ROP3-4/8RF	SLAGT080ROP3TFS	BAGT100ROP3TF
128	150	LAGT100ROP1	LAGT100ROP1TF	BAGT100ROP1			
128	150	LAGT100KUP1	LAGT100KUP1TF	BAGT100KUP1			
128	180	SLAG100KUP1	SLAG100KUP1TF	SBAG100KUP1			
145	180	GLAG100KUP3		GBAG100KUP3			GBAG100KUP3TF
148	180	SLAG100KUP3		SBAG100KUP3	SLAG100KUP3 + 2 RF	SLAG100KUP3TFS	SBAG100KUP3TF
150	180	GLAG100KUP1	GLAG100KUP1TF	GBAG100KUP1			
155	200	LAG125KUP1	LAG125KUP1TF	BAG125KUP1			
155	250	LAG125KUP3	LAG125KUP3TF	BAG125KUP3	LAG125KUP3-4Fach	SLAG100ROP3TFS*	BAG125KUP3TF
163	200	GLAG125KUP1	GLAG125KUP1TF	GBAG125KUP1			
165	250	LAG125KUP3A	LAG125KUP3TFA	BAG125KUP3A			
170	250	GLAG125KUP3	GLAG125KUP3TF	GBAG125KUP3			GBAG125KUP3TF
170	500						
178	250	SLAG125KUP3	SLAG125KUP3TF	SBAG125KUP3	SLAG125KUP3 + 2 RF		SBAG125KUP3TF
195	300	LAG160KUP3	LAG160KUP3TF	BAG160KUP3	LAG160KUP3-4Fach		BAG160KUP3TF
197	500						
215	300	SLAG160KUP3	SLAG160KUP3TF	SBAG160KUP3	SLAG160KUP3 + 2 RF	SLAG160KUP3TFS	SBAG160KUP3TF
225	350	LAG180KUP3	LAG180KUP3TF	BAG180KUP3	LAG180KUP3-4Fach	SLAG150KUP3TFS	BAG180KUP3TF
235	350	SLAG180KUP3	SLAG180KUP3TF	SBAG180KUP3	SLAG180KUP3 + 2 RF	SLAG180KUP3TFS	SBAG180KUP3TF
235	400	LAG200KUP3	LAG200KUP3TF	BAG200KUP3	LAG200KUP3-4Fach	SLAG180KUP3TFS	BAG200KUP3TF
245	400	SLAG200KUP3	SLAG200KUP3TF	SBAG200KUP3	SLAG200KUP3 + 2 RF	SLAG200KUP3TFS	SBAG200KUP3TF
250	350	GLAG180KUP3	GLAG180KUP3TF	GBAG180KUP3			GBAG180KUP3TF
254	700						
260	400	GLAG200KUP3	GLAG200KUP3TF	GBAG200KUP3			GBAG200KUP3TF
260	700						
264	800						
270	800						
298	550	SLAG250KUP3	SLAG250KUP3TF	SBAG250KUP3			
305	550	GLAG250KUP4	GLAG250KUP4FR	GBAG250KUP4			
314	1100						
320	1100						

Elastic rubber wheels with polyamide core



mm kg

			TLAGT080ROP1/124	124	300
			TLAGT080ROP3/133	133	300
			TLAGT080ROP3/148	148	300
			TLAGT080ROP1S/155	155	300
			TLAGT080ROP3S/155	155	300
			TLAGT100ROP3R/160	160	450
			TLAGT100ROP3L/160	160	450
			TLAGT100ROP3/164	164	450
			TLAGT100ROP3/166	166	450
			TLAGT100ROP3S/178	178	450
			TSLAGT100ROP3S/185	185	450
			TLAGT125KUP3/196	196	750
			TLAGT125KUP3S/210	210	750
			TSLAG125KUP3SS/221	221	750
			TLAG160KUP3S/235	235	900
			TLAG160KUP3/240	240	900
			TLAG160KUP3SS/250	250	900
			TSLAG160KUPS/259	259	900
			TSLAG180KUPS/298	298	1000
			TSLAG180KUPS/298	298	1000
			TSLAG200KUPS/305	305	1000
LDAG125KUP3	LDAG125KUP3TF	BDAG125KUP3			
LDAG125KUP4A	LDAG125KUP4TFA	BDAG125KUP4			
LDAG180KUP4		BDAG180KUP4			
LDAG180KUP4A		BDAG180KUP4			
LDAG200KUP4	LDAG200KUP4TF	BDAG200KUP4			
LDAG200KUP4A	LDAG200KUP4TFA	BDAG200KUP4			
LDAG250KUP4	LDAG250KUP4TF	BDAG250KUP4			
LDAG250KUP4A	LDAG250KUP4TFA	BDAG250KUP4			













Black elastic rubber wheels with polyamide core



mm	kg						
100	120	LAGTS080ROP1	LAGTS080ROP1TF	BAGTS080ROP1			
103	120				LAGTS080ROP1-4Fach		
120	100	SLAGTS080ROP1	SLAGTS080ROP1TF	SBAGTS080ROP1			
124	300						TLAGTS080ROP1/124
125	120				SLAGTS080ROP3TFS		
125	150	LAGTS100KUP3	LAGTS100KUP3TF	BAGTS100KUP3	LAGTS100KUP3-4BRF		
128	150	LAGTS100KUP1	LAGTS100KUP1TF	BAGTS100KUP1			
130	180	SLAGTS100KUP1	SLAGTS100KUP1TF	SBAGTS100KUP1			
132,5	100	GLAGTS080KUP1	GLAGTS080KUP1TF	GBAGTS080KUP1			
133	300						TLAGTS080ROP3/133
148	180	SLAGTS100KUP3		SBAGTS100KUP3	SLAGTS100KUP3 + 2 RF	SLAGTS100KUP3TFS	
148	300						TLAGTS080ROP3/148
150	180	GLAGTS100KUP1	GLAGTS100KUP1TF	GBAGTS100KUP1			
155	200	LAGTS125KUP1	LAGTS125KUP1TF	BAGTS125KUP1			
155	250	LAGTS125KUP3	LAGTS125KUP3TF	BAGTS125KUP3	LAGTS125KUP3-4Fach		
155	300						TLAGTS080ROP18/155
155	300						TLAGTS080ROP38/155
160	250	GLAGTS125KUP1	GLAGTS125KUP1TF	GBAGTS125KUP1			
160	450						TLAGTS100KUP3L/160
160	450						TLAGTS100KUP3R/160
163	180	GLAGTS100KUP3		GBAGTS100KUP3			
164	450						TLAGTS100KUP3/164
166	250	LAGTS125KUP3A	LAGTS125KUP3TFA	BAGTS125KUP3A			
166	450						TLAGTS100KUP3/166
175	250	GLAGTS125KUP3	GLAGTS125KUP3TF	GBAGTS125KUP3			
178	250	SLAGTS125KUP3	SLAGTS125KUP3TF	SBAGTS125KUP3	SLAGTS125KUP3 + 2 RF		
178	450						TLAGTS100KUP3S/178
185	450						TSLAGTS100KUP3S/185
195	300	LAGTS160KUP3	LAGTS160KUP3TF	BAGTS160KUP3	LAGTS160KUP3-4Fach		
196	600						TLAGTS125KUP3/196
210	600						TLAGTS125KUP3S/210
215	300	SLAGTS160KUP3	SLAGTS160KUP3TF	SBAGTS160KUP3	SLAGTS160KUP3 + 2 RF	SLAGTS160KUP3TFS	
221	750						TSLAGTS125KUP3S/221
235	350	SLAGTS180KUP3	SLAGTS180KUP3TF	SBAGTS180KUP3	SLAGTS180KUP3 + 2 RF	SLAGTS180KUP3TFS	
235	900						TLAGTS160KUP3S/235
240	900						TLAGTS160KUP3/240
245	400	SLAGTS200KUP3	SLAGTS200KUP3TF	SBAGTS200KUP3	SLAGTS200KUP3 + 2 RF	SLAGTS200KUP3TFS	
250	350	GLAGTS180KUP3	GLAGTS180KUP3TF	GBAGTS180KUP3			
250	900						TLAGTS160KUP3S/250
259	900						TSLAGTS160KUP3S/259
260	400	GLAGTS200KUP3	GLAGTS200KUP3TF	GBAGTS200KUP3			
298	550	SLAGTS250KUP3	SLAGTS250KUP3TF	SBAGTS250KUP3			
298	1000						TSLAGTS180KUP3S/298
298	1000						TSLAGTS180KUP3S/298
305	400	GLAGTS250KUP4	GLAGTS250KUP4FR	GBAGTS250KUP4			
305	1000						TSLAGTS200KUP3S/305

Black elastic rubber wheels with polyamide core




				
LKS050KUPL SC	LKS050KUPLTF SC	BKS050KUPL SC	73	40
LKS075KUPL SC	LKS075KUPLTF SC	BKS075KUPL SC	100	60

				
LMKD050KUPL SC	LMKD050KUPLTF SC	BKD050KUPL SC	73	40
LKD075KUPL SC	LKD075KUPLTF SC		100	80



15 - 150 kg

Soft rubber wheels on polyamide core

							
mm	kg						
35	15	LKS025GLPL			BKS025GLPL		
37	20	LKS030GLPL			BKS030GLPL		
48	40				LMKD025GLPL	BMKD025GLPL	
51	40				LMKD030GLPL	BMKD030GLPL	
54	40				LMKD035GLPL	LMKD035GLPLTF	BMKD035GLPL
64	35	LKS040GLPL			BKS040GLPL		
67	90				LMKD040GLPL	LMKD040GLPLTF	BMKD040GLPL
72	100				LMKD050KUPL	LMKD050KUPLTF	BMKD050KUPL
73	40	LKS050KUPL SC	LKS050KUPLTF SC	BKS050KUPL SC			
73	40	LKS050KUPL	LKS050KUPLTF	BKS050KUPL			
73	60				LKD050KUPL SC	LKD050KUPLTF SC	BKD050KUPL SC
73	60				LKD050KUPL	LKD050KUPLTF	BKD050KUPL
100	60	LKS075KUPL SC	LKS075KUPLTF SC	BKS075KUPL SC			
100	60	LKS075KUPL	LKS075KUPLTF	BKS075KUPL			
100	60	LKS075GLPL	LKS075GLPLTF	BKS075GLPL			
100	80				LKD075KUPL SC	LKD075KUPLTF SC	
100	80				LKD075KUPL	LKD075KUPLTF	
100	80	LKG080KUP1	LKG080KUP1TF	BKG080KUP1			
117	80	KLK080KUPL1	KLK080KUPL1TF	KBK080KUPL1			
117	80	KLK080KUPL2	KLK080KUPL2TF	KBK080KUPL2			
117	80	KLK080GLPL1	KLK080GLPL1TF	KBK080GLPL1			
117	80	KLK080GLPL2	KLK080GLPL2TF	KBK080GLPL2			
120	80	LKS100KUPL	LKS100KUPLTF	BKS100KUPL			
120	80	LKS100GLPL	LKS100GLPLTF	BKS100GLPL			
125	80	LKG100KUP3	LKG100KUP3TF	BKG100KUP3			
125	120				LKD100KUPL	LKD100KUPLTF	BKD100KUPL
128	80	LKG100KUP1	LKG100KUP1TF	BKG100KUP1			
135	80	KLK100KUPL1	KLK100KUPL1TF	KBK100KUPL1			
135	80	KLK100KUPL2	KLK100KUPL2TF	KBK100KUPL2			
135	80	KLK100GLPL1	KLK100GLPL1TF	KBK100GLPL1			
135	80	KLK100GLPL2	KLK100GLPL2TF	KBK100GLPL2			
155	100	LKG125KUP1	LKG125KUP1TF	BKG125KUP1			
155	100	LKG125KUP3	LKG125KUP3TF	BKG125KUP3			
161	100	KLK125KUPL1	KLK125KUPL1TF	KBK125KUPL1			
161	100	KLK125KUPL2	KLK125KUPL2TF	KBK125KUPL2			
161	100	KLK125GLPL1	KLK125GLPL1TF	KBK125GLPL1			
161	100	KLK125GLPL2	KLK125GLPL2TF	KBK125GLPL2			
180,5	150	LKG150KUPL1	LKG150KUPL1TF	BKG150KUPL1			
189	110	KLK150KUPL1	KLK150KUPL1TF	KBK150KUPL1			
189	110	KLK150KUPL2	KLK150KUPL2TF	KBK150KUPL2			
189	110	KLK150GLPL1	KLK150GLPL1TF	KBK150GLPL1			
189	110	KLK150GLPL2	KLK150GLPL2TF	KBK150GLPL2			

Soft rubber wheels on polyamide core





mm
kg

			LKDM050KWSPL	LKDM050KWSPLTF	BKDM050KWSPL	72	40
LKS050KWSPL	LKS050KWSPLTF	BKS050KWSPL				73	20
LKS075KWSPL	LKS075KWSPLTF	BKS075KWSPL				100	40
LKG080KWSPL1	LKG080KWSPL1TF	BKG080KWSPL1				100	50
			LKD075KWSPL	LKD075KWSPLTF		100	80
KLP080KWSPL1	KLP080KWSPL1TF	KBP080KWSPL1				117	50
KLP080KWSPL2	KLP080KWSPL2TF	KBP080KWSPL2				117	50
LKS100KWSPL	LKS100KWSPLTF	BKS100KWSPL				120	50
LKG100KWSPL3	LKG100KWSPL3TF	BKG100KWSPL3				125	50
			LKD100KWSPL	LKD100KWSPLTF	BKD100KWSPL	125	100
LKG100KWSPL1	LKG100KWSPL1TF	BKG100KWSPL1				128	50
KLP100KWSPL1	KLP100KWSPL1TF	KBP100KWSPL1				135	50
KLP100KWSPL2	KLP100KWSPL2TF	KBP100KWSPL2				135	50
LKG125KWSPL1	LKG125KWSPL1TF	BKG125KWSPL1				155	60
LKG125KWSPL3	LKG125KWSPL3TF	BKG125KWSPL3				155	60
KLP125KWSPL1	KLP125KWSPL1TF	KBP125KWSPL1				161	60
KLP125KWSPL2	KLP125KWSPL2TF	KBP125KWSPL2				161	60
			LKD125KWSPL	LKD125KWSPLTF	BKD125KWSPL	163	120
LKG150KWSPL1	LKG150KWSPL1TF	BKG150KWSPL1				180,5	60
KLP150KWSPL1	KLP150KWSPL1TF	KBP150KWSPL1				189	60
KLP150KWSPL2	KLP150KWSPL2TF	KBP150KWSPL2				189	60



Polyamide castors

						
	mm	kg				
51	100	LMNYS033KUJPL	LMNYS033KUPLTF	BNYS033KUJPL		
72	150	LMNYS050KUJPL	LMNYS050KUPLTF	BMNYS050KUJPL		
73	50	LNYS050GLPL	LNYS050GLPLTF	BNYS050GLPL		
82	150	LMNYS050KUPLS	LMNYS050KUPLSTF	BNYS050KUPLS	LNYS050KUPL-4Fach	
93	200	LNYS065KUP1	LNYS065KUP1TF	BNYS065KUP1		
96	200				LNYS065KUP1-4Fach	
100	125	LNYS080ROP1	LNYS080ROP1TF	BNYS080ROP1		
100	200	LNYS080KUP1	LNYS080KUP1TF	BNYS080KUP1		
106	200				LNYS080KUP1-4Fach	
115	125	LNYS080ROP3	LNYS080ROP3TF	BNYS080ROP3		
115	250	LNYS080KUP3	LNYS080KUP3TF	BNYS080KUP3	LNYS080KUP3-4/8RF	BNY080KUP3TF
120	250	SLNYS080KUP1	SLNYS080KUP1TF	SBNYS080KUP1		
125	160	LNYS100ROP3	LNYS100ROP3TF	BNYS100ROP3		
125	400	LNYS100KUP3	LNYS100KUP3TF	BNYS100KUP3	LNYS100KUP3-4/8RF*	SLNYS080KUP3TFS
125	500					
128	160	LNYS100ROP1	LNYS100ROP1TF	BNYS100ROP1		BNY150KUP3TF
128	320	LNYS100KUP1	LNYS100KUP1TF	BNYS100KUP1		
130	350	SLNYS100KUP1	SLNYS100KUP1TF	SBNYS100KUP1		
130	600	GLNYS080KUP3		GBNYS080KUP3		
132,5	200	GLNYS065KUP1		GBNYS065KUP1		
133	600	GLNYS082KUP3		GBNYS082KUP3		
135	600	GLNYS085KUP3		GBNYS085KUP3		
140	300	GLNYS080KUP1		GBNYS080KUP1		
145	350					GBNY100KUP3TF
148	350	SLNYS100KUP3		SBNYS100KUP3		SBNY100KUP3TF
148	500				SLNYS100KUP3TFS	
150	350	GLNYS100KUP1	GLNYS100KUP1TF	GBNYS100KUP1		
155	200	LNYS125ROP3	LNYS125ROP3TF	BNYS125ROP3		
155	500	LNYS125KUP3	LNYS125KUP3TF	BNYS125KUP3	LNYS125KUP3-4Fach	BNY125KUP3TF
160	400	GLNYS125KUP1	GLNYS125KUP1TF	GBNYS125KUP1		
163	300	GLNYS100KUP3		GBNYS100KUP3		
165	200	LNYS125ROP3A	LNYS125ROP3TFA	BNYS125ROP3A		
165	500	LNYS125KUP3A	LNYS125KUP3TFA	BNYS125KUP3A		
170	550					GBNY125KUP3TF
175	400	GLNYS125KUP3	GLNYS125KUP3TF	GBNYS125KUP3		
178	500	SLNYS125KUP3	SLNYS125KUP3TF	SBNYS125KUP3		SBNY125KUP3TF
184	600					
185	500	LNYS150KUP3	LNYS150KUP3TF	BNYS150KUP3	LNYS150KUP3-4Fach	SLNYS125KUP3TFS
197	750					BNY200KUP3TF
205	650	GLNYS150KUP3	GLNYS150KUP3TF	GBNYS150KUP3		
205	750					GBNY150KUP3TF
210	660	SLNYS150KUP3	SLNYS150KUP3TF	SBNYS150KUP3		SBNY150KUP3TF
245	1000	SLNYS200KUP3	SLNYS200KUP3TF	SBNYS200KUP3		SBNY200KUP3TF
260	500	LNYS200KUP3	LNYS200KUP3TF	BNYS200KUP3	LNYS200KUP3-4Fach	SLNYS180KUP3TFS
260	1000					GBNY200KUP3TF
260	1100	GLNYS200KUP3	GLNYS200KUP3TF	GBNYS200KUP3		
260	1800					
270	2000					
298	800	SLNYS250KUP3	SLNYS250KUP3TF	SBNYS250KUP3		
305	1400	GLNYS250KUP4	GLNYS250KUP4FR	GBNYS250KUP4		

*Load capacity 350 kg

Polyamide castors



LDMNYS033GLPL	LDMNYS033GLPLTF	BDNYS033GLPL
LDMNYS050KUPL	LDMNYS050KUPLTF	BDMNYS050KUPL

LDMNYS050KUPLS	LDMNYS050KUPLSTF	BDNYS050KUPLS
----------------	------------------	---------------

LDNYS080GLP3	BDNYS080GLP3
--------------	--------------

LDNYS100KUP3	LDNYS100KUP3TF	BDNYS100KUP3
LDNYS075GLP3S	BDNYS075GLP3S	

LDNYS100KUP1	LDNYS100KUP1TF	BDNYS100KUP1
--------------	----------------	--------------

SLDNYS100KUP3	SBDNYS100KUP3
---------------	---------------

LDNYS100KUP4A	BDNYS100KUP4A
---------------	---------------

LDNYS125KUP4A	LDNYS125KUP4TFA	BDNYS125KUP4A
---------------	-----------------	---------------

LDNYS180KUP4A	LDNYS180KUP4TFA	BDNYS180KUP4A
---------------	-----------------	---------------

LDNYS200KUP3A	LDNYS200KUP3TFA	BDNYS200KUP3A
---------------	-----------------	---------------



mm
kg

T5LDMNYS025GLP1/70	70	210
T5LDMNYS030GLP1/72	72	240
TLDMNYS025GLP1/73	73	210
TLDMNYS030GLP1/74	74	240
TLMNYS033GLP1/76	76	300
T5LMNYS035GLP1/76	76	500
T5LDMNYS033GLP1/77	77	270
T5LDMNYS025GLP3/78	78	210
TLDMNYS033GLP1/79	79	270
T5LDMNYS025GLP3/80	80	210
T5LDMNYS030GLP3/80	80	240
TLDMNYS030GLP3/82	82	240
TLMNYS033GLP3/85	85	300
T5LMNYS035GLP3/85	85	500
T5LDMNYS033GLP3/86	86	270
TLDMNYS033GLP3/87	87	270
TLMNYS033GLP3S/95	95	300
TLMNYS050KUP1S/101	101	350
TLMNYS050KUP1/101	101	450
TLMNYS050KUP3/106	106	450
TLMNYS050KUP3S/108	108	450
TLMNYS050KUP3S/115	115	450
TLMNYS050KUP3SS/115	115	450
TLDNYS050KUP3SS/115	115	450
TLNYS065KUP1/116	116	350
TLDNYS065KUP1/116	116	350
TLNYS080KUP1/124	124	350
TLDNYS080KUP1/124	124	350
TLNYS065KUP1/125	125	350
TLDNYS065KUP1/125	125	350
TLNYS065KUP3/125	125	500
TLDNYS065KUP3/125	125	500
TLNYS065KUP1S/128	128	350
TLDNYS065KUP1S/128	128	350
TLNYS080KUP3/133	133	500
TLDNYS080KUP3/133	133	500
TLNYS080KUP3/148	148	500
TLDNYS080KUP3/148	148	500
TLNYS080KUP1S/155	155	350
TLDNYS080KUP1S/155	155	350
TLNYS080KUP3S/155	155	600
TLDNYS080KUP3S/155	155	600
TLNYS100KUP3L/160	160	600
TLDNYS100KUP3L/160	160	600
TLNYS100KUP3R/160	160	600
TLDNYS100KUP3R/160	160	600
TLNYS100KUP3/164	164	600
TLDNYS100KUP3/164	164	600
TLNYS100KUP3/166	166	1000
TLDNYS100KUP3/166	166	1000
TLNYS100KUP3S/178	178	1000
TLDNYS100KUP3S/178	178	1000
TSLNYS100KUP3S/185	185	1000
TSLDNY100KUP3S/185	185	1000
TLNYS125KUP3/196	196	1000
TLDNYS125KUP3/196	196	1000
TLNYS125KUP3S/210	210	1000
TLDNYS125KUP3S/210	210	1000
TSLNYS125KUP3SS/221	221	1000
TSLDNY125KUP3SS/221	221	1000
TLNYS150KUP3S/230	230	1000
TLDNYS150KUP3S/230	230	1000
TLNYS150KUP3/235	235	600
TLDNYS150KUP3/235	235	600
TLNYS150KUP3SS/245	245	1000
TLDNYS150KUP3SS/245	245	1000
TSLNYS150KUPS/259	259	2000
TSLDNY150KUPS/259	259	2000
TSLNYS200KUPS/305	305	2000

Extract from our product range:



06/2024